TC COLE & SON
PARTNERS OF | STABILUS



locks
handles
hinges
rod sets
gasketing
accessories

PRODUCT
CATALOGUE
2012 - 2nd Edition

SECTION TITLE	PAGE NO.
HINGES	3
HANDLES	13
LOCKS	23
LATCHES & CATCHES	34
GASKETS	39

Within the overall framework the following list itemises the main items requested by our customers. As with all pro-active companies we are continually upgrading both our supplies and suppliers. If you have a request for a product not listed please ASK, and we will do our utmost to fulfil your requirements.

Sales of locks, handles, hinges, gasketing, stays, rod sets, gas springs, dampers & accessories

Stocking of products to suit customer's standing orders thus maintaining on-time deliveries.

T. Cole & Son **WILL** stock in accordance with your requirements, unlike many other supplier and manufacturers.

"One Stop Shop" — We can supply products from many manufacturers providing a convenient "one stop shop" reducing your administration costs, simplifying the procurement process and increasing your purchasing power.

Modifying or hybridising existing products to suit customers' requirements.

Manufacturing new peoducts to customers' specifications.

Deliveries on time to suit your needs.

call us on 00 44 28 9336 0844

Welcome to T. COLE & SON PARTNERS OF STABILUS

The Local Supplier

T. Cole & Son, are the Official Irish Distributor of the full range of Stabilus Gas Springs and Dampers, which we can have supplied in any size or specification to meet your needs.

After taking on board many customer requests, we also distribute a massive range of products from our leading edge suppliers to compliment our Stabilus Range, all from our 3000 Sq Ft premises in Carrickfergus. We offer full local customer support, with account management and re-order capabilities along with stock holding to suit customer needs.

Vendors & Logistics

We offer a range of products from the world's leading manufacturers for Locks, Handles, Hinges, Gasketing and Accessories, with products from major vendors such as Lowe & Fletcher, EMKA, Weston Body Hardware, Stabilus, Dirak, and Pinet. We aim to provide the right product for your application for "**On-time**" delivery. Our comprehensive warehouse is managed by our dedicated team of advisors, and we can assure you of the best ...

Best Quality Best Service Best Continuity.

Design, Manufacture & Assembly Services

T. Cole & Son have been supplying products and services for specific and niche markets for over 18 years, with customers from engineering manufacturers to major retail brands. We offer full design and modification services for most applications using products we sell. We can provide a wide range of manufacturing requirements at amazingly competitive rates. We pride ourselves on being able to offer customers a first class **Local** service

T COLE & SON
PARTNERS OF
STABILUS


180° Semi-Concealed Hinge


180° semi-concealed hinge, zinc die and pin m.s. zinc pl. chrome

Part No. 20611


180° semi-concealed hinge, zinc die and pin m.s. zinc pl. black


Part No. 20615






Cut out








for gasket ≥ 25


Weld-on Hinge


Weld-on, mild steel, brass pin

L= 40, D= 8, d= 5, S= 9.5	Part No. 21939
L= 50, D= 8, d= 5, S= 9.5	Part No. 20459
L= 60, D= 10, d= 6, S= 13.5	Part No. 20460
L= 70, D= 11.5, d= 7, S= 13.5	Part No. 20461
L= 80, D= 13, d= 8, S= 15.5	Part No. 20462
L= 100, D= 16, d= 11, S= 20	Part No. 20464









Lift-Off Diecast 'Block' Hinge

Hole and Peg

'Small' (60mm) hinge
Chrome
Part No. 20077

2 Holes

'Small' (60mm) hinge
Chrome
Part No. 20080

2 Holes

'Medium' (76mm) hinge
Chrome
Part No. 20092

'Medium' (76mm) hinge
Black
Part No. 20093






Diagram A. Hole-and-peg models






Diagram B. '2-hole' models

		60 mm	76 mm
A	Length (half)	30 mm	38 mm
B	Width	13 mm	17 mm
C	Height	14 mm	19 mm
D	Height to pin	7.5 mm	11 mm
E	Location	17 mm	19 mm
F	Location	8 mm	9 mm
G	Pin diameter	6 mm	6 mm
H	Hole sizes	6 mm x M5	7.5 mm x M6



call us on 00 44 2893 360844

TC OLE & SON
PARTNERS OF
STABILUS

Stainless 'Block Hinges'


These machined block hinges suit high-quality cabinets and enclosures, where stainless steel fittings are required.

Small (60mm)
Part No. 21460

Medium (76mm)
Part No. 21499

Large (100mm)
Part No. 23169





All corners have a radius and edges are chamfered.

		60 mm	76 mm	100 mm
A	Length (half)	32 mm	38 mm	50 mm
B	Width	13 mm	13 mm	18 mm
C	Height	16 mm	19 mm	29 mm
D	Height to pin	9.5 mm	13 mm	20 mm
E	Location	17 mm	19 mm	25 mm
F	Location	8 mm	9 mm	13 mm
G	Pin diameter	6 mm	6 mm	8 mm
H	Hole sizes	6 mm x M5	7.5 mm x M6	13 mm x M8


Lift Off 'Torpedo' Hinges

Chromium-plated finish and 10mm stainless steel pin gives good resistance to normal environmental condtions. Left-hand and right-hand.

RH Chrome (stainless pin)
Part No. 20770


LH Chrome (stainless pin)
Part No. 20771







Screw-On Stainless Hinge

Stainless Steel
Part No. 20484








Lift Off Moulded Hinges

Developed as an alternative to the popular diecast torpedo hinge, this small design brings all the advantages of modern material, yet is more economical and fully interchangeable with the diecast models. Left-hand and right-hand available.

RH Black
Part No. 21110

LH Black
Part No. 21111









call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS


Concealed Hinges 120°


Mild Steel Screw-On
Part No. 20549

Mild Steel Weld-On, not threaded
Part No. 20550

Stainless Steel Screw-On
Part No. 20551

Stainless Steel Weld-On, threaded
Part No. 20552






Concealed Hinges 120°


Mild Steel, Version A
Part No. 20456

Stainless Steel, Version A
Part No. 20457

Mild Steel, Version B
Part No. 20453

Stainless Steel, Version B
Part No. 20454






Screw On Hinge

Material: Reinforced polyamide, black.

Screw on hinge 48 x 48mm, black, polyamide
I=30, A=48, B=48, C=30, h=10.5, H=15.5,
d=6.5, d1=13, d2=5, d3=10mm
Part No. 24652

Screw on hinge 64 x 64mm, black, polyamide,
d1=13, d2=5, d3=13mm
Part No. 23907






call us on 00 44 2893 360844

TC OLE & SON PARTNERS OF STABILUS

call us on 00 44 289 3608844

Continuous Hinge Stainless Steel - Imperial





3/4" Open, 20g, 14g, 1/2" KNC, continuous hinge, SS. A=6ft, B=3/4", C=20g, D=14g, E=1/2"

Part No. 22827

1" Open, 22g, 1.6 pin, 1/2" KNC, continuous hinge, SS. A=36", B=1", C=22g, D=1.6g, E=1/2"

Part No. 25321

1" Open, 20g, 14g pin, 1/2" KNC, continuous hinge SS. A=6ft, B=1", C=20g, D=14g, E=1/2"

Part No. 21267

1" Open, 20g, 14g pin, 1" KNC, continuous hinge, SS. A=6ft, B=1", C=20g, D=14g, E=1"

Part No. 21268

1" Open, 20g, 10g pin, 1" KNC, continuous hinge, SS. A=6ft, B=1", C=20g, D=10g, E=1"

Part No. 25267

1" Open, 18g, 10g Pin, 1/2" KNC, continuous hinge SS. A=6ft, B=1", C=18g, D=10g, E=1/2"

Part No. 21256

1" Open, 18g, 10g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=1", C=18g, D=10g, E=1"

Part No. 22264

1" Open, 16g, 10g Pin, 1/2" KNC, continuous hinge, SS. A=6ft, B=1", C=16g, D=10g, E=1/2"

Part No. 21230

1" Open, 16g, 10g Pin 1" KNC, continuous hinge, SS. A=6ft, B=1", C=16g, D=10g, E=1"

Part No. 22250

1 1/4" Open, 20g, 14g Pin, 1/2" KNC, continuous hinge, SS. A=6ft, B=1 1/4", C=20g, D=14g, E=1/2"

Part No. 21269

1 1/4" Open, 20g, 14g Pin, SS 1" KNC, continuous hinge, SS. A=6ft, B=1 1/4", C=20g, D=14g, E=1"

Part No. 23581

1 1/4" Open, 20g, 10g Pin, 1/2" KNC, continuous hinge, SS. A=6ft, B=1 1/4", C=20g, D=10g, E=1/2"

Part No. 21271

1 1/4" Open, 18g, 10g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=1 1/4", C=18g, D=10g, E=1"

Part No. 21257

1 1/4" Open, 16g, 10g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=1 1/4", C=16g, D=10g, E=1"

Part No. 21234

1 1/4" Open, 16g, 10g Pin, 1/2" KNC, continuous hinge, SS. A=6ft, B=1 1/4", C=16g, D=10g, E=1/2"

Part No. 21232

1 1/2" Open, 20g, 10g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=1 1/2", C= 20g, D=10g, E=1"

Part No. 24027

1 1/2" Open, 18g, 7g Pin, 1± KNC, continuous hinge, SS. A=6ft, B=1 1/2", C=18g, D=7g, E=1"

Part No. 22706

1 1/2" Open, 16g, 10g Pin, 1/2" KNC, continuous hinge, SS. A=6ft, B=1 1/2", C=16g, D=10g, E=1/2"

Part No. 21236

1 1/2" Open, 16g, 10g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=1 1/2", C=16g, D=10g, E=1"
Part No. 21239

1 1/2" Open, 18g, 10g Pin, 1/2" KNC, continuous hinge, SS. A=6ft, B=1 1/2", C=18g, D=10g, E=1/2"
Part No. 21259

1 1/2" Open, 18g, 10g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=1 1/2", C=18g, D=10g, E=1"
Part No. 21261

2" Open, 16g, 10g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2", C=16g, D=10g, E=1"
Part No. 21243

2" Open, 18g, 10g Pin, 1/2" KNC, continuous hinge, SS. A=6ft, B=2", C=18g, D=10g, E=1/2"
Part No. 23792

2" Open, 18g, 10g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2", C=18g, D=10g, E=1"
Part No. 21263

2" Open, 16g, 4g Pin, 1/2" KNC, continuous hinge, SS. A=6ft, B=2", C=16g, D=4g, E=1/2"
Part No. 22054

2" Open, 16g, 7g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2", C=16g, D=7g, E=1"
Part No. 21247

2" Open,14g,7g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2", C=14g, D=7g, E=1"
Part No. 22057

2" Open, 14g, 4g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2", C=14g, D=4g, E=1"
Part No. 21224

2" Open, 12g, 7g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2", C=12g, D=7g, E=1"
Part No. 22225

2 1/4" Open, 14g, 4g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2 1/4", C=14g, D=4g, E=1"
Part No. 21225

2 1/2" Open, 16g, 4g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2 1/2", C=16g, D=4g, E=1"
Part No. 21252

2 1/2" Open, 16g, 4g Pin, 2" KNC, continuous hinge, SS. A=6ft, B=2 1/2", C=16g, D=4g, E=2"
Part No. 21251

2 1/2" Open, 14g, 4g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2 1/2, C=14g, D=4g, E=1"
Part No. 21227

2 1/2" Open,12g, 7g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=2 1/2", C=12g, D=7g, E=1"
Part No. 22473

3" Open, 16g, 7g Pin, S/S 1" KNC, continuous hinge, SS. A=6ft, B=3", C=16g, D=7g, E=1"
Part No. 24661

3" Open, 16g, 4g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=3", C=16g, D=4g, E=1"
Part No. 21254

3" Open, 16g, 4g Pin, 2" KNC, continuous hinge, SS. A=6ft, B=3", C=16g, D=4g, E=2"
Part No. 22394

3" Open, 14g, 4g Pin, 1"KNC, continuous hinge, SS. A=6ft, B=3", C=14g, D=4g, E=1"
Part No. 22217

3" Open, 12g, 7g Pin, continuous hinge, SS. A=6ft, B=3", C=12g, D=7g, E=1"
Part No. 24275

3" Open, 10g, 1g Pin, 1" KNC, continuous hinge, SS. A=6ft, B=3", C=10g, D=1g, E=1"
Part No. 22408

3" Open, 10g, 5/16" Pin, 2" KNC, continuous hinge, SS. A=6ft, B=3", C=10g, D=5/16", E=2"
Part No. 21218

4" Open, 10g, 5/16" Pin, 1" KNC, continuous hinge, SS. A=6ft, B=4", C=10g, D=5/16", E=1"
Part No. 22134

4" Open, 10g, 5/16" Pin, 1" KNC, continuous hinge, SS. A=6ft, B= 4", C=10g, D=5/16", E=1"
Part No. 22538


call us on 00 44 2893 360844

TC OLE & SON PARTNERS OF STABILUS

call us on 00 44 2893 360844

Continuous Hinge Stainless Steel - Metric





20 Op x 15KNC x 2pin x 0.8 thick x 2040mm lg, SS 304. A=2040mm, B=20mm, C=0.8mm, D=2mm, E=15mm

Part No. 24028

25 Op x 15KNC x2 pin x 1 thick x 2040mm lg, SS 304 A=2040mm, B=25mm, C=1mm, D=2mm, E=15mm

Part No. 23992

30 Op x 15KNC x 2pin x 1 thick x 2040mm lg, SS 304. A=2040mm, B=30mm, C=1mm, D=2mm, E=15mm

Part No. 24216

30 Op x 15KNC x 2pin x 1 thick x 1800mm lg, SS 304. A=1800mm, B=30mm, C=1mm, D=2mm, E=15mm

Part No. 23997

30 Op x 30KNC x4Pin x 1.5 thick x 2000mm lg, SS 304. A=2000mm, B=30, C=1.5mm, D=4mm, E=30mm

Part No. 24128

30 Op x 15KNC x 2Pin x 1mm thick x 2040mm lg, SS 316. A=2040mm, B=30mm, C=1mm, D=2mm, E=15mm

Part No. 24128

32 Op x 20KNC x 3pin x1.2 thick x 1840mm lg, SS 304. A=1840mm, B= 32mm, C=1.2mm, D=3mm, E=20mm

Part No. 23937

40 Op x 15KNC x 4Pin x 1.5 thick x 2040mm lg, SS 316. A=2040mm, B=40mm, C=1.5mm, D=4mm, E=15

Part No. 24242

40 Op x 20KNC x 3Pin x 1.2 thick x 1840mm lg, SS 304. A=1840mm, B=40mm, C=1.2mm, D=3mm, E=20mm

Part No. 24036

40 Op x 20KNC x 3Pin x 1.2 thick, 2000mm lg, SS 304. A=2000mm, B=40mm, C=1.2mm, D=3mm, E=20mm

Part No. 24171

44 Op x 30mm KNC x 6pin 2.0 thick x 2040mm lg, SS 304. A=2040mm, B=44mm, C=2mm, D=6mm, E=30mm

Part No. 24456

50 Op x 20KNC x 3pin x1.2 thick x 1840mm lg, SS 304. A=1840mm, B=50mm, C=1.2mm, D=3mm, E=20mm

Part No. 23994

50 Op x 20KNC x 3pin x1.2 thick x 2000mm lg, SS 304. A=2000mm, B=50mm, C=1.2mm, D=3mm, E=20mm

Part No. 24061

50 Op x 25KNC x 4pin x 2 thick x 2000mm lg, SS 304. A=2000mm, B=50mm, C=2mm, D=4mm, E=25mm

Part No. 24060

57 Op x 15KNC x 4pin x 1.5 thick x 2160mm lg, SS 304. A=2160mm, B=57mm, C=1.5mm, D=4mm, E=15mm

Part No. 24037

60 Op x 30KNC x 6pin x 2 thick x 2040mm lg, SS 316. A=2040mm, B=60mm, C=2mm, D=6mm, E=30mm

Part No. 24029

60 Op x 30KNC x 6pin x 2 thick x 2040mm lg, SS 304. A=2040mm, B=60mm, C=2mm, D=6mm, E=30mm

Part No. 24059

80 Op x 40KNC x 6pin x 3 thick x 2000mm lg, SS 304. A=2000mm, B=80mm, C= 3mm, D=6mm, E=40mm

Part No. 24940

Continuous Hinge Mild Steel - Imperial

3/4" Open, 20g, 14g Pin, 1/2" KNC, continuous hinge MS. A=6ft, B=3/4", C=20g, D=14g, E=1/2"

Part No. 21265

1" Open, 20g, 14g Pin, 1/2" KNC, continuous hinge MS. A=6ft, B=1", C=20g, D=14g, E=1/2"

Part No. 21266

1" Open, 20g, 14g Pin ,1" KNC, continuous hinge MS. A=6ft, B=1", C=20g, D=14g, E=1"

Part No. 22242

1" Open, 20g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1", C=20g, D=10g, E=1"

Part No. 23021

1" Open, 18g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1", C=18g, D=10g, E=1"

Part No. 22364

1 1/4" Open, 20g, 14g Pin, 1/2" KNC, continuous hinge MS. A=6ft, B=1 1/4", C=20g, D=14g, E=1/2"

Part No. 23718

1 1/4" Open, 20g, 10g Pin, 1/2" KNC, continuous hinge MS. A=6ft, B=1 1/4", C=20g, D=10g,

Part No. 21270

1 1/4" Open, 20g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1 1/4", C=20g, D=10g, E=1"

Part No. 23776

1 1/4" Open, 18g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1 1/4", C=18g, D=10g, E=1"

Part No. 23218

1 1/4" Open, 16g, 10g Pin, 1/2" KNC, continuous hinge MS. A=6ft, B= 1 1/4", C=16g, D=10g, E=1/2"

Part No. 21231

1 1/4" Open, 16g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1 1/4", C=16g, D=10g, E=1"

Part No. 21233

1 1/2" Open, 20g,10g Pin, 1± KNC, continuous hinge MS. A=6ft, B= 1 1/2", C=20g, D=10g

Part No. 21907

1 1/2" Open, 18g, 10g Pin, 1/2" KNC, continuous hinge MS. A=6ft, B=1 1/2", C=18g, D=10g, E=1/2"

Part No. 21258

1 1/2" Open, 18g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1 1/2", C=18g, D=10g, E=1"

Part No. 22732

1 1/2" Open, 16g, 10g Pin, 1/2" KNC, continuous hinge MS. A=6ft, B=1 1/2", C=16g, D=10g, E=1/2"

Part No. 21235

1 1/2" Open, 16g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1 1/2", C=16g, D=10g, E=1"

Part No. 21238

1 1/2" Open, 16g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1 1/2", C=16g, D=7g, E=1"

Part No. 21241

1 1/2" Open, 14g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1 1/2", C=14g, D=10g, E=1"

Part No. 21221

1 1/2" Open, 14g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=1 1/2", C=14g, D=7g, E=1"

Part No. 23220

2" Open, 18g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2", C=18g, D=10g, E=1"

Part No. 21262

2" Open, 18g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2", C=18g, D=7g, E=1"

Part No. 21264

2" Open, 16g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2", C=16g, D=7g, E=1"

Part No. 21246

2" Open, 16g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2", C=16g, D=7g, E=1"


Part No. 21248

call us on 00 44 2893 360844

TC OLE & SON PARTNERS OF STABILUS

Continuous Hinge Mild Steel - Imperial





2" Open, 16g, 10g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2", C=16g, D=10g, E=1"

Part No. 21242

2" Open,16g,10g Pin, 2" KNC , continuous hinge MS. A=6ft, B=2", C=16g, D=10g, E=2"

Part No. 21972

2" Open, 14g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2", C=14g, D=7g, E=1"

Part No. 21222

2" Open, 14g, 7g Pin, 2" KNC, continuous hinge MS. A=6ft, B=2", C=14g, D=7g, E=2"

Part No. 22444

2" Open, 14g, 4g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2", C=14g, D=4g, E=1"

Part No. 21223

2" Open, 12g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2", C=12g, D=7g, E=1"

Part No. 21220

2 1/4" Open, 14g, 4g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2 1/4", C=14g, D=4g, E=1"

Part No. 22483

2 1/2" Open, 16g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2 1/2", C=16g, D=7g, E=1"

Part No. 21250

2 1/2" Open, 14g, 4g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2 1/2", C=14g, D=4g, E=1"

Part No. 21226

2 1/2" Open, 12g, 4g Pin, 1" KNC, continuous hinge MS. A=6ft, B=2 1/2", C=12g, D=4g, E=1"

Part No. 22405

2 1/2" Open, 12g, 4g Pin, 2" KNC, continuous hinge MS. A=6ft, B=2 1/2", C=12g, D=4g, E=2"

Part No. 23205

3" Open, 16g, 7g Pin, 1" KNC, continuous hinge MS. A=6ft, B=3", C=16g, D=7g, E=1"

Part No. 24853

3" Open, 16g, 4g Pin, 1" KNC, continuous hinge MS. A=6ft, B=3", C=16g, D=4g, E=1"

Part No. 21253

3" Open, 14g, 4g Pin, 1" KNC, continuous hinge MS. A=6ft, B=3", C=14g, D=4g, E=1"

Part No. 21228

3" Open, 14g, 4g Pin, 2" KNC, continuous hinge MS. A=6ft, B=3", C=14g, D=4g, E=2"

Part No. 23106

3" Open,12g, 4g Pin, MS 1" KNC, continuous hinge MS. A=6ft, B=3", C=12g, D=4g, E=1"

Part No. 22803

3" Open, 10g, 5/16" Pin, 1" KNC, continuous hinge MS. A=6ft, B=3", C=1og, D=5/16", E=1"

Part No. 21216

3" Open, 10g, 5/16" Pin, 2" KNC, continuous hinge MS. A=6ft, B=3", C=10g, D=5/16", E=2"

Part No. 21217

4" Open, 10g, 5/16" Pin, 1" KNC, continuous hinge MS. A=6ft, B=4", C=10g, D=5/16g, E=1"

Part No. 21219

4" Open, 10g, 5/16" Pin, 2" KNC, continuous hinge MS. A=6ft, B=4", C=10g, D=5/16g, E=2"

Part No. 21973

call us on 00 44 2893 360844

Moulded Lift-Off Hinge


These hinges have been specifically created to prevent dirt and debris entering between hinge halves and pin, causing stiffness and uneven action. This is a common problem when hinges are used on construction sites or in heavy manufacturing environments. By using composite moulded materials it is possible for grooves to be provided in each face, enabling an ±O± ring to be fitted to eliminate this problem. Additional benefits include complete corrosion resistance, and textured, black finish.

Load test results give maximum working loads of 10-87 kN (Axial) and 2-42 kN (Radial). Endurance tests are also available on request.

Moulded Lift-Off Hinge Left Hand
Part No. 25682

Moulded Lift-Off Hinge Right Hand
Part No. 25683







Concealed Hinge - 120° Opening Angle With Click Function


Standard design:
Frame part: Steel, zinc plated.
Pin: Stainless steel (304).
Washer: Brass.
Door part: Zinc die-cast, zinc plated.
Part No. 25686

Highlander design:
Frame part and pin: Stainless steel (304).
Washer: Brass.
Door part: Zinc die-cast, special surface treatment *.
Part No. 25687

* 30 day salt-spray test according to ISO 9227, equivalent to ASTM B 117.







call us on 00 44 2893 360844

TC OLE & SON
PARTNERS OF
STABILUS

Lift-Off Spring Loaded Hinge

This unque stlye of lift off hinge is design with integral spring to automatically spring closed. Produce from aluminium extrusion the hinge has added strength.


A	x	B	x	C	x	D
65	x	55	x	4.5	x	13


RH Lift-Off Hinge Raw Al.
Part No. 24086

LH Lift-Off Hinge Raw Al.
Part No. 24087

RH Lift-Off Hinge Black Al.
Part No. 24088

LH Lift-Off Hinge Black Al.
Part No. 24089





call us on 00 44 2893 360844

Stainless Lift-Off Hinge


Product Features


- Cast Stainless Steel 316
- Through panel bosses
- Stainless Steel backing plate fits inside enclosure for added security.
- Repeat abuse testing has shown very high restistance to attempts to force hinge removal and total destruction of doors is necessary to remove hinges.

This product is widley used in telecommunications industry

RH Lift-Off Hinge
Part No. 23248

LH Lift-Off Hinge
Part No. 23421





T COLE & SON
PARTNERS OF
STABILUS


Swinghandle

Zinc die black powder coated; rear fixing bracket produced from mild steel zinc plated, shaft - zinc die. With seal swinghandle is still earthed.

Round cylinder with stainless steel cap and shutter keyed EK333.
Part No. 20636

Round cylinder with stainless steel cap and shutter keyed different.
Part No. 25586





Flush Compression Handle


This compression handle allows door and panel to be closed giving full gasket compression. Lever acts as handle so no additional hardware is required.

- A modern designed compact handle with minimal front face protusion
- Adjustable grip length via a striker bolt
- Door mounted, by means of rear 'U' shaped saddle clamp
- Main components are in die cast zinc
- Available in black powder coat
- Operates by depressing front face button
- Lockable and non lockable versions available
- Enclosures and cabinets
- Industrial Vehicles
- Door Panels
- Flight cases and many more...

Locking, keyed to pass, black finish, zinc diecast, grip range 1-15mm
Part No. 23935

Non locking, black finish, zinc diecast, grip range 1-15mm
Part No. 23936





call us on 00 44 2893 360844

TC OLE & SON
PARTNERS OF
STABILUS

call us on 00 44 2893 360844

Compression L Handle


Handle and housing: black powder coated zinc alloy, cylinder: zinc alloy with stainless steel cap and shutter, the washer, nut and screw: zinc plated mild steel. Each locking handle has one silver key with black nylon grip. Key removable in both positions is standard.

Compression L handle, non locking.
Part No. 25625

Compression L handle, locking keyed EK333.
Part No. 25626

Compression L handle, locking keyed to differ.
Part No. 25627





Compression T Handle


Handle and housing: black powder coated zinc alloy, cylinder: zinc alloy with stainless steel cap and shutter, the washer, nut and screw: zinc plated mild steel. Each locking handle has one silver key with black nylon grip. Key removable in both positions is standard.

Compression T handle, non locking.
Part No. 25628

Compression T handle, locking keyed EK333.
Part No. 25077

Compression T handle, locking keyed to differ.
Part No. 25629





Compresson Wing Handle


Handle and housing: black powder coated zinc alloy, cylinder: zinc alloy with stainless steel cap and shutter, the washer, nut and screw: zinc plated mild steel. Each locking handle has one silver key with black nylon grip. Key removable in both positions is standard.

Compression Wing handle, non locking
Part No. 25622

Compression Wing handle, locking keyed EK333
Part No. 25623

Compression Wing handle, locking keyed to differ
Part No. 25624





T COLE & SON
PARTNERS OF
STABILUS


Recess Grab Handle

Snap fit - to suit material thickness of 0.75mm to 1.5mm, black polyamide. (Hole cut out = 83mm x 34mm).

Part No. 24083

A Durable and stylish recessed pulls provides a convenient grip for any door or drawer application with minimal protrusion from front of panel. Single hole mount handle is held in place by snap fixing.






Recess Grab Handle

Clip fit - to suit material thickness of 1.5mm to 2mm, black plastic. (Hole cut out =103mm x 49mm).

Part No. 24084

A Durable and stylish recessed pulls provides a convenient grip for any door or drawer application with minimal protrusion from front of panel. Single hole mount handle is held in place by snap fixing.






Recess Grab Handle

Clip fit - to suit material thickness of 1.5mm to 2mm, black plastic. (Hole cut out =171mm x 73mm).

Part No. 24085

A Durable and stylish recessed pulls provides a convenient grip for any door or drawer application with minimal protrusion from front of panel. Single hole mount handle is held in place by clip fixing.





call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

T Handles

T-Handle chrome plated, 38mm concealed, 92 series, 180° movement


Part No. 21877

T-Handle chrome plated, non locking, 38mm concealed fixing 180° movement

Part No. 21396

***Also available in black finish, cam provided seperately**





L Handles

Chrome plated, 38mm concealed locking, 92 series, 180° movement


Part No. 21878

Chrome plated, 38mm concealed non locking, 180° movement

Part No. 21426

***Also available in black finish, cam provided seperately**






Handle Flush Fitting


Keyed 92369, 6521820 cam


Part No. 22332

***Available with other key and cam specifications**









call us on 00 44 2893 360844

T C OLE & SON
PARTNERS OF
STABILUS

L Handles

Chrome plated, keyed 333, IP65, zinc die with stainless steel cap and shutter

Part No. 20266


Chrome plated, non locking, IP65, zinc die

Part No. 20260

Black powder coated, keyed 333, IP65, zinc die with stainless steel cap and shutter

Part No. 20344

Black powder coated, IP65, zinc die
Part No. 20339



Cut out

T Handles

Chrome plated, keyed 333, IP65, zinc die with stainless steel cap and shutter

Part No. 20251


Chrome plated, non locking, IP65, zinc die

Part No. 20382

Black powder coated, keyed 333, IP65, zinc die with stainless steel cap and shutter

Part No. 20331

Black powder coated, keyed 333, IP65, zinc die
Part No. 22062



Cut out

Wing Handles

Chrome plated, keyed 333, IP65, zinc die with stainless steel cap and shutter
Part No. 20267

Chrome plated, non locking, IP65, zinc die
Part No. 20265


Black powder coated, keyed 333, IP65, zinc die with stainless steel cap and shutter
Part No. 20300

Black powder coated, non locking, IP65, zinc die
Part No. 20301

Polyamide, Keyed 333, IP65, zinc die handle with stainless steel cap and shutter
Part No. 20336

Polyamide, non locking, IP65, zinc die handle
Part No. 20335





Cut out

call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS


T Handles

Stainless Steel Grade 304 T-Handle with fitted cam

Part No. 21511

***Please call for cam details**
***316 st/st available upon request**






L Handles

Stainless Steel Grade 304 L-Handle with fitted cam

Part No. 21514

***Please call for cam details**
***316 st/st available upon request**






Padlockable L Handles

Stainless Steel Grade 304 Padlockable L-Handle with fitted cam

Part No. 21513

***Please call for cam details**
***316 st/st available upon request**





call us on 00 44 2893 360844


T COLE & SON
PARTNERS OF
STABILUS


Foamed Grab Rail

Steel cored, moulded in expanded polyurethane foam

Part No. 22229








Grab Handles


Moulded in resilient elastomer around steel cores

190mm
Part No. 20884

280mm
Part No. 20885








Recess Grab Handles

Available in both diecast and moulded construction. The shaped edges allow easy action with roller shutters and sliding doors.

Black, moulded
Part No. 21115

Black, diecast
Part No. 22471






call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

Open-Fix Handle, Moulded

Grab handle, open fixing, black polypropylene with textured finish

Black
Part No. 21202



Grab Handle, Moulded

Grab handle with 'shut fit' snap panels, textured black finish made from polypropylene


Black
Part No. 20143



Lowline Grab Handle

A traditional design with shaped grip area, and with low, flat styling for minimal projection. Hand polished and chromium plated to very high standard

Chrome
Part No. 20052



call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

Stainless Steel Grab Rail


9mm Stainless steel bar, polished

96mm Hole centres
Part No. 20835

157mm Hole centres
Part No. 20837

***Other variations available upon request**






Paddle Handle

Stainless steel slam-bolt paddle, locking
Part No. 20891

Mild steel slam-bolt paddle, locking
Part No. 20893

Stainless steel slam-bolt paddle, non locking
Part No. 20887

Mild steel slam-bolt paddle, non locking
Part No. 20895



Drop 'T' Handle


Stainless steel, keyed FS880, LH
Part No. 21141

Stainless steel, keyed FS880, RH
Part No. 21142

Stainless steel, non locking, LH
Part No. 21143

Stainless steel, non locking, RH
Part No. 21144

***Mild Steel versions available on request**



call us on 00 44 2893 360844


TC OLE & SON
PARTNERS OF
STABILUS


Wing Handle

Zinc die, black powder coated, padlockable

Part No. 20355

***Please call for CAM details**





Cut out


call us on 00 44 2893 360844


Drop Handle

Surface mounted, mild steel, zinc plated

Part No. 21472









Drop Handle

Surface mounted, sprung loaded with plastic-cover, mild steel, zinc plated

Part No. 21473








T COLE & SON
PARTNERS OF
STABILUS

Quarter Turn Locks



3mm D/bit Lock, Chrome, Cam H=04, IP65
Part No. 25444

3mm D/bit Lock, Chrome, Cam H=06, IP65
Part No. 25445

3mm D/bit Lock, Chrome, Cam H=08, IP65
Part No. 25446

3mm D/bit Lock, Chrome, Cam H=10, IP65
Part No. 25447

3mm D/bit Lock, Chrome, Cam H=13, IP65
Part No. 25448

3mm D/bit Lock, Chrome, Cam H=14, IP65
Part No. 25449

3mm D/bit Lock, Chrome, Cam H=16, IP65
Part No. 25450

3mm D/bit Lock, Chrome, Cam H=18, IP65
Part No. 25451

3mm D/bit Lock, Chrome, Cam H=20, IP65
Part No. 25452

3mm D/bit Lock, Chrome, Cam H=22, IP65
Part No. 25453

3mm D/bit Lock, Chrome, Cam H=24, IP65
Part No. 25454

3mm D/bit Lock, Chrome, Cam H=25, IP65
Part No. 25455

3mm D/bit Lock, Chrome, Cam H=26, IP65
Part No. 25456

3mm D/bit Lock, Chrome, Cam H=28, IP65
Part No. 25457

3mm D/bit Lock, Chrome, Cam H=30, IP65
Part No. 25458

3mm D/bit Lock, Chrome, Cam H=32, IP65
Part No. 25459

3mm D/bit Lock, Chrome, Cam H=34, IP65
Part No. 25460

3mm D/bit Lock, Chrome, Cam H=35, IP65
Part No. 25461

3mm D/bit Lock, Chrome, Cam H=36, IP65
Part No. 25462

3mm D/bit Lock, Chrome, Cam H=38, IP65
Part No. 25463

3mm D/bit Lock, Chrome, Cam H=40, IP65
Part No. 25464

3mm D/bit Lock, Chrome, Cam H=42, IP65
Part No. 25465

3mm D/bit Lock, Chrome, Cam H=44, IP65
Part No. 25466

3mm D/bit Lock, Chrome, Cam H=45, IP65
Part No. 25467

3mm D/bit Lock, Chrome, Cam H=47, IP65
Part No. 25468

3mm D/bit Lock, Chrome, Cam H=50, IP65
Part No. 25469

Key 3mm Double pin
Part No. 20410

5mm D/bit Lock, Chrome, Cam H=04, IP65
Part No. 25418

5mm D/bit Lock, Chrome, Cam H=06, IP65
Part No. 25419

5mm D/bit Lock, Chrome, Cam H=08, IP65
Part No. 25420

5mm D/bit Lock, Chrome, Cam H=10, IP65
Part No. 25421

5mm D/bit Lock, Chrome, Cam H=13, IP65
Part No. 25422

5mm D/bit Lock, Chrome, Cam H=14, IP65
Part No. 25423

5mm D/bit Lock, Chrome, Cam H=16, IP65
Part No. 25424

5mm D/bit Lock, Chrome, Cam H=18, IP65
Part No. 25425

5mm D/bit Lock, Chrome, Cam H=20, IP65
Part No. 25426

5mm D/bit Lock, Chrome, Cam H=22, IP65
Part No. 25427

5mm D/bit Lock, Chrome, Cam H=24, IP65
Part No. 25428

5mm D/bit Lock, Chrome, Cam H=25, IP65
Part No. 25429

5mm D/bit Lock, Chrome, Cam H=26, IP65
Part No. 25430

5mm D/bit Lock, Chrome, Cam H=28, ip65
Part No. 25431

5mm D/bit Lock, Chrome, Cam H=30, IP65
Part No. 25432

call us on 00 44 2893 360844

TC OLE & SON PARTNERS OF STABILUS

call us on 00 44 2893 360844

Quarter Turn Locks

5mm D/bit Lock, Chrome, Cam H=32, IP65
Part No. 25433

5mm D/bit Lock, Chrome, Cam H=34,IP65
Part No. 25434

5mm D/bit Lock, Chrome, Cam H=35, IP65
Part No. 25435

5mm D/bit Lock, Chrome, Cam H=36, IP65
Part No. 25436

5mm D/bit Lock, Chrome, Cam H=38, IP65
Part No. 25437

5mm D/bit Lock, Chrome, Cam H=40, IP65
Part No. 25438

5mm D/bit Lock, Chrome, Cam H=42, IP65
Part No. 25439


5mm D/bit Lock, Chrome, Cam H=44, IP65
Part No. 25440


5mm D/bit Lock, Chrome, Cam H=45, IP65
Part No. 25441

5mm D/bit Lock, Chrome, Cam H=47, IP65
Part No. 25442

Key 5mm Double bit
Part No. 20412







Cut out

Quarter Turn Locks

7mm Tri Lock, Chrome, Cam H=04, IP65
Part No. 25470

7mm Tri Lock, Chrome, Cam H=06, IP65
Part No. 25471

7mm Tri Lock, Chrome, Cam H=08, IP65
Part No. 25472

7mm Tri Lock, Chrome, Cam H=10, IP65
Part No. 25473

7mm Tri Lock, Chrome, Cam H=13, IP65
Part No. 25474

7mm Tri Lock, Chrome, Cam H=14, IP65
Part No. 25475

7mm Tri Lock, Chrome, Cam H=16, IP65
Part No. 25476

7mm Tri Lock, Chrome, Cam H=20, IP65
Part No. 25477


7mm Tri Lock, Chrome, Cam H=22, IP65
Part No. 25478


7mm Tri Lock, Chrome, Cam H=24, IP65
Part No. 25479

7mm Tri Lock, Chrome, Cam H=25, IP65
Part No. 25480

7mm Tri Lock, Chrome, Cam H=26, IP65
Part No. 25481







Cut out

T COLE & SON
PARTNERS OF
STABILUS

Quarter Turn Locks

7mm Tri Lock, Chrome, Cam H=28, IP65
Part No. 25482

7mm Tri Lock, Chrome, Cam H=30, IP65
Part No. 25483

7mm Tri Lock, Chrome, Cam H=32, IP65
Part No. 25484

7mm Tri Lock, Chrome, Cam H=34, IP65
Part No. 25485

7mm Tri Lock, Chrome, Cam H=35, IP65
Part No. 25486

7mm Tri Lock, Chrome, Cam H=36, IP65
Part No. 25487

7mm Tri Lock, Chrome, Cam H=38, IP65
Part NO. 25488

7mm Tri Lock, Chrome, Cam H=40, IP65
Part No. 25489

7mm Tri Lock, Chrome, Cam H=42, IP65
Part No. 25490


7mm Tri Lock, Chrome, Cam H=44, IP65
Part No. 25491

7mm Tri Lock, Chrome, Cam H=45, IP65
Part No. 25492

7mm Tri Lock, Chrome, Cam H=47, IP65
Part No. 25493

7mm Tri Lock, Chrome, Cam H=50, IP65
Part No. 25494

Key 7mm Triangular
Part No. 20408



8mm Tri Lock, Chrome, Cam H=04, IP65
Part No. 25495

8mm Tri Lock, Chrome, Cam H=06, IP65
Part No. 25496

8mm Tri Lock, Chrome, Cam H=08, IP65
Part No. 25497

8mm Tri Lock, Chrome, Cam H=10, IP65
Part No. 25498

8mm Tri Lock, Chrome, Cam H=13, IP65
Part No. 25499

8mm Tri Lock, Chrome, Cam H=14, IP65
Part No. 25500

8mm Tri Lock, Chrome, Cam H=16, IP65
Part No. 25501

8mm Tri Lock, Chrome, Cam H=18, IP65
Part No. 25502

8mm Tri Lock, Chrome, Cam H=20, IP65
Part No. 25503

8mm Tri Lock, Chrome, Cam H=22, IP65
Part No. 25504

8mm Tri Lock, Chrome, Cam H=24, IP65
Part No. 25505

8mm Tri Lock, Chrome, Cam H=25, IP65
Part No. 25506

8mm Tri Lock, Chrome, Cam H=26, IP65
Part No. 25507

8mm Tri Lock, Chrome, Cam H=28, IP65
Part No. 25508

8mm Tri Lock, Chrome, Cam H=30, IP65
Part No. 25509

8mm Tri Lock, Chrome, Cam H=32, IP65
Part No. 25510

8mm Tri Lock, Chrome, Cam H=34, IP65
Part No. 25511

8mm Tri Lock, Chrome, Cam H=35,IP65
Part No. 25512

8mm Tri Lock, Chrome, Cam H=36, IP65
Part No. 25513

8mm Tri Lock, Chrome, Cam H=38, IP65
Part No. 25514

8mm Tri Lock, Chrome, Cam H=40, IP65
Part No. 25515

8mm Tri Lock, Chrome, Cam H=42, IP65
Part No. 25516

8mm Tri Lock, Chrome, Cam H=47, IP65
Part No. 25518

8mm Tri Lock, Chrome, Cam H=50, IP65
Part No. 25519


Key 8mm Triangular
Part No. 2040

call us on 00 44 2893 360844

TC OLE & SON
PARTNERS OF
STABILUS

Quarter Turn Locks





7mm Sq Lock, Chrome, Cam H=04, IP65
Part No. 25520

7mm Sq Lock, Chrome, Cam H=06, IP65
Part No. 25521

7mm Sq Lock, Chrome, Cam H=08, IP65
Part No. 25522

7mm Sq Lock, Chrome, Cam H=10, IP65
Part No. 25523

7mm Sq Lock, Chrome, Cam H=13, IP65
Part No. 25524

7mm Sq Lock, Chrome, Cam H=14, IP65
Part No. 25525

7mm Sq Lock, Chrome, Cam H=16, IP65
Part No. 25526

7mm Sq Lock, Chrome, Cam H=18, IP65
Part No. 25527

7mm Sq Lock, Chrome, Cam H=20, IP65
Part No. 25528

7mm Sq Lock, Chrome, Cam H=22, IP65
Part No. 25529

7mm Sq Lock, Chrome, Cam H=24, IP65
Part No. 25530

7mm Sq Lock, Chrome, Cam H=25, IP65
Part No. 25531

7mm Sq Lock, Chrome, Cam H=26, IP65
Part No. 25532

7mm Sq Lock, Chrome, Cam H=28, IP65
Part No. 25533

7mm Sq Lock, Chrome, Cam H=30, IP65
part No. 25534

7mm Sq Lock, Chrome, Cam H=32, IP65
Part No. 25535

7mm Sq Lock, Chrome, Cam H=34, IP65
Part No. 25536

7mm Sq Lock, Chrome, Cam H=35, IP65
Part No. 25537

7mm Sq Lock, Chrome, Cam H=36, IP65
Part No. 25538

7mm Sq Lock, Chrome, Cam H=38, IP65
Part No. 25539

7mm Sq Lock, Chrome, Cam H=40, IP65
Part No. 25540

7mm Sq Lock, Chrome, Cam H=42, IP65
Part No. 25541

7mm Sq Lock, Chrome, Cam H=44, IP65
Part No. 25542

7mm Sq Lock, Chrome, Cam H=47, IP65
Part No. 25543

7mm Sq Lock, Chrome, Cam H=50, IP65
Part No. 25544

Key 7mm Square
Part No. 20406

8mm Sq Lock, Chrome, Cam H=04, IP65
Part No. 25545

8mm Sq Lock, Chrome, Cam H=06, IP65
Part No. 25546

8mm Sq Lock, Chrome, Cam H=08, IP65
Part No. 25547

8mm Sq Lock, Chrome, Cam H=10, IP65
Part No. 25548

8mm Sq Lock, Chrome, Cam H=13, IP65
Part No. 25549

8mm Sq Lock, Chrome, Cam H=14, IP65
Part No. 25550

8mm Sq Lock, Chrome, Cam H=16, IP65
Part No. 25551

8mm Sq Lock, Chrome, Cam H=18, IP65
Part No. 25552

8mm Sq Lock, Chrome, Cam H=20, IP65
Part No. 25553

8mm Sq Lock, Chrome, Cam H=22, IP65
Part No. 25554

8mm Sq Lock, Chrome, Cam H=24, IP65
Part No. 25555

8mm Sq Lock, Chrome, Cam H=25, IP65
Part No. 25556

8mm Sq Lock, Chrome, Cam H=26, IP65
Part No. 25557

8mm Sq Lock, Chrome, Cam H=28, IP65
Part No. 25558

8mm Sq Lock, Chrome, Cam H=30, IP65
Part No. 25559

call us on 00 44 289 360844

T COLE & SON
PARTNERS OF
STABILUS

Quarter Turn Locks

8mm Sq Lock, Chrome, Cam H=32, IP65
Part No. 25560

8mm Sq Lock, Chrome, Cam H=34, IP65
Part no. 25561

8mm Sq Lock, Chrome, Cam H=35, IP65
Part No. 25562

8mm Sq Lock, Chrome, Cam H=36, IP65
Part No. 25563

8mm Sq Lock, Chrome, Cam H=38, IP65
Part No. 35564


8mm Sq Lock, Chrome, Cam H=40, IP65
Part No. 25565

8mm Sq Lock, Chrome, Cam H=42, IP65
Part No. 25566

8mm Sq Lock, Chrome, Cam H=44, IP65
Part No. 25567

8mm Sq Lock, Chrome, Cam H=47, IP65
Part No. 25568

8mm Sq Lock, Chrome, Cam H=50, IP65
Part No. 25569




Universal Bin Lock

This Unique design which can be cleverly set to operate in Deadlock or Slamlock mode at the point of fitment consist of a pressure die cast housing for ultimate durability, steel back plate which is riveted directly to the housing for strength. Internal components are produced by pressure die casting for durability and smooth action.

- Reduced Stock Holding as lock is left or right handed
- Universal Fixing Pattern For 6mm Screws or Rivets
- Clean Lines Attract Less Contamination
- Efficient Design With Only Six Component Parts
- Accepts Most Common Striker Hooks
- Operates With Standard 8mm Triangular Budget Lock Key

Part No. 25580





call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

Camlocks

16mm, Keyed 92 series, chrome

Part No. 21883

20mm, Keyed 92 series, chrome

Part No. 21879


27mm, Keyed 92 series, chrome


Part No. 23167

32mm, Keyed 92 series, chrome


Part No. 21881




















Safelock

7 lever, key to pass

Part No. 23302

***Other Key and movement specifications upon request**





Safelock

8 lever, LH key retained and to differ


Part No. 22735

8 lever, RH key retained and to differ

Part No. 22767

***Other key specification upon request**





call us on 00 44 2893 360844

Compression Locks

Housing and insert: black powder coated zinc alloy, washer, nut and screw: zinc plated mild steel.

Compression latch 8mm square.
Part No. 25630

Compression latch 7mm triangle.
Part No. 25049


Compression latch 8mm triangle.
Part No. 25631

Compression latch 3mm double bit.
Part No. 25632

Compression latch 5mm double bit.
Part No. 24968

Compression latch 8mm hexagon female.
Part No. 25633

Compression latch tubular.
Part No. 25634













call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

call us on 00 44 2893 360844

Digital Combination Lock

- Fully Programmable
- Minimum 10,000 operating cycles
- Battery operated
- Low battery warning
- Battery failure override
- Cam operation
- Multi and single user modes
- 8 digit master code and sub-master codes
- 4 digit user code
- Code changeable
- IP54 rated (with optional gasket)
- Solid mazak housing

Part No. 24712



Compartment Lock

(economy), 180° FS 880

Part No. 20812

(economy), 180° Mixed keys


Part No. 20815

(economy), 90° FS 880

Part No. 20811

(economy), 90° Mixed keys

Part No. 20814



Radial Pin Tumbler Lock

Barrel type - keyed alike, mastered, 90°, chrome


Part No. 23490


Plunger type - keyed alike, 7 pin, chrome

Part No. 22840


***Other specifications available**
Anti-drill feature available on request












T COLE & SON
PARTNERS OF
STABILUS

Glass Sliding Door Locks

Keyed to differ, chrome plated.
Dim. X=12.5mm
Part No. 23843

Keyed to pass, chrome plated. Dim. X=12.5mm
Part No. 23844






Pedestal Locks

Keyed to differ, mastered, satin chrome.
Dim. X=41mm or 47mm
Part No. 23845

Keyed to differ, mastered, satin chrome.
Dim. X=41mm or 47mm
Part No. 23846






Pedestal Locks

Vertical. Double Flange. Keyed to differ, mastered, nickel plated.
Part No. 23847

Vertical. Double Flange. Keyed to differ, mastered, nickel plated.
Part No. 23848

Vertical. Double Flange. Keyed to differ, mastered, nickel plated.
Part No. 23849

Vertical. Double Flange. Keyed to differ, mastered, nickel plated.
Part No. 23850





call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

Rim Locks (Slam Action)

Keyed to differ, chrome plated.
Part No. 23851

Keyed to pass, chrome plated.
Part No. 23852


LH Keyed to differ, chrome plated.
Part No. 23853

LH Keyed to pass, chrome plated.
Part No. 23854

RH Keyed to differ, chrome plated.
Part No. 23855

RH Keyed to pass, chrome plated.
Part No. 23856






Rim Locks

Keyed to differ, mastered, black.
Part No. 23857

Keyed to pass, mastered, black.
Part No. 23858





Rim Locks

Keyed to differ, mastered, nickel plated.
Part No. 23859

Keyed to pass, mastered, nickel plated.
Part No. 23860


LH Keyed to differ, nickel plated.
Part No. 23861

LH Keyed to pass, nickel plated.
Part No. 23862

RH Keyed to differ, nickel plated.
Part No. 23863

RH Keyed to pass, nickel plated.
Part No. 23864





call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

Rim Locks

Keyed to differ, mastered, nickel plated.
Dim. A=9, X=26
Part No. 23865


Keyed to pass, nickel plated. Dim. A=9, X=26
Part No. 23866


LH Keyed to differ, nickel plated. Dim. A=12, X=19
Part No. 23867

LH Keyed to pass, nickel plated. Dim. A=12, X=19
Part No. 23868

RH Keyed to differ, nickel plated. Dim. A=12, X=19
Part No. 23869

RH Keyed to pass, nickel plated. Dim. A=12, X=19
Part No. 23870






Slide Door Locks

Push to lock. Keyed to differ, chrome plated.
Part No. 23871

Push to lock. Keyed to pass, chrome plated.
Part No. 23872






Tambour Locks

Horizontal. Double Flange. Keyed to differ, nickel plated
Part No. 23873


Horizontal. Double Flange. Keyed to pass, nickel plated.
Part No. 23874






call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS



Gas Struts - K Mat
Other specs available on request



A	B	F1 (N)	Bestell-Nr. Ref.-No./Réf.-No.
50	154	*	697567
75	204	*	9997RF
100	255	*	697605
125	304	*	9998RA
150	356	*	697656
175	404	*	9999RW
200	462	*	697699
225	504	*	2379SU
250	560	*	697737

* F1-Werte von 100 - 900 N, gestaffelt in 25 N-Schritten
* F1-Values from 100 - 900 N in steps of 25 N
* Valeurs F1 à choisir de 100 à 900 N par palier de 25 N

Bestell-Beispiel / Ordering example / Exemple de commande

123456	/	0350N	/	K2	/	D1	/	S1
Bestell-Nr. Ref.-No. Réf.-No.		F1		Kolbenstangen-Anschluss Piston rod end fitting Attache côté tige		Druckrohr-Anschluss Pressure tube end fitting Attache côté tube		Schutzrohr Protection tube Tube de protection

Montage nach STAB-Spec.10005630 / Installation according to STAB-Spec.10005630 / Montage suivant STAB-Spec.10005630

call us on 00 44 2893 360844


T COLE & SON
PARTNERS OF
STABILUS

Support Stay

Automatic release, mild steel, zinc plated
Part No. 20752

Automatic release, 2 brackets, mild steel
Part No. 20751


Automatic release, with thumb screw, mild steel, zinc plated
Part No. 20800



Support Stay

Safety catch rel with brackets, mild steel, zinc plated


Part No. 20784



Miniature Stay

With brackets, mild steel, zinc plated
Part No. 20782

Without brackets, mild steel, zinc plated
Part No. 20785



call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

call us on 00 44 2893 360844


Cover Stay

Cover stay, mild steel, nickel plated.
Right Hand

Part No. 20519

Cover stay, mild steel, nickel plated.
Left Hand

Part No. 20520




Spring Lock

Fix through mountings to suit narrow door, pillars, sections and channels. Mild steel, BZP

Part No. 20555


***Other versions available**




Door Securing

Door stop mild steel, zinc plated

Part No. 20556





Opening angle	X	Y	minimal door width
90°	140	180	403
105°	120	166	389
120°	110	150	373
135°	100	146	369

in case of other construction
y = x + >40

Surface-Mount Slam Latch

Chrome

Part No. 22586

Striker


Flush mount, chrome

Part No. 22587

Inside Relase Handle

With fluorescent mushroom

Part No. 22588




2-Way Rod Latch

RH, complete system, mild steel, gold passivated

Part No. 20681

LH, complete system, mild steel, gold passivated

Part No. 20683




2-Way Rod Latch

RH, complete system, mild steel, gold passivated

Part No. 20673

LH, complete system, mild steel, gold passivated

Part No. 20675



call us on 00 44 2893 360844


TC OLE & SON PARTNERS OF STABILUS

call us on 00 44 2893 360844

Budget Latch

Universal, mild steel BZP
Part No. 21357

Universal, stainless steel
Part No. 20643




Toggle Catch And Hook

Padlockable, BZP, (open 54mm, closed 44mm)
Part No. 22898

Plain, BZP, (open 70mm, closed 56mm)
Part No. 22265





Rod And Roller

600mm, mild steel, BZP
Part No. 20512

700mm, mild steel, BZP
Part No. 20513


800mm, mild steel, BZP
Part No. 20514


900mm, mild steel, BZP
Part No. 20515

1000mm, mild steel, BZP
Part No. 20516

1100mm, mild steel, BZP
Part No. 20517

1200mm, mild steel, BZP
Part No. 20518







Adapter for Rod And Roller, zinc die
Part No. 20360

Rod guide polyamide, A=20, B=32, C=24
Part No. 20397

Rod guide polyamide, A=26, B=38, C=30
Part No. 20398






T COLE & SON
PARTNERS OF
STABILUS


Rubber Sealing


EPDM 65°± 5 shore/sponge - rubber(EPDM) Black

Part No. 20425











Rubber Sealing


EPDM 65°± 5 shore/sponge - rubber(EPDM) Black

Part No. 20427











4 Lip Profile Gasketing


Sponge - rubber, black EPDM 25° shore

Part No. 22296










call us on 00 44 2893 360844

T COLE & SON
PARTNERS OF
STABILUS

Rubber Sealing

Gasket PVC/sponge - rubber(EPDM) black


Part No. 22470



Sponge Neoprene

Shelf Adhesive, cell sponge rubber, black

A x (mm) B	
10 x 3	Part No. 20436
15 x 3	Part No. 20438
20 x 3	Part No. 22746
20 x 5	Part No. 20442
15 x 10	Part No. 20430
20 x 10	Part No. 20432



T Cole and Son - Partners of Stabilus
Unit 29
Carrickfergus Enterprise Centre
Meadowbank Road
Carrickfergus
Co. Antrim
BT38 8YF
Northern Ireland
UK

Tel. +44 (0)2893 360844
Fax. +44 (0)2893 360855

Email. admin@tcoleandson-stabilus.com
Web. www.tcoleandson-stabilus.com